

# IN THE WIND FLOOR

*Arihiro Miyake*

Floor lamp for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold. For the floor version, switch and dimmer on the cable.



## LED 3000K

---

### LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable
Tension	110/240V
Color temperature	3000K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	cable length 2m, dimmer on cable
Net lamp weight	3 kg

### Codes

ITW LWW 21  
ITW LNW 21  
ITW LGW 21  
ITW LDW 21


### Structure/Diffuser

white/white  
black/white  
gold/white  
titan grey/white

### PACKAGE

Package 01	Dimension: 30x32x12 cm / Gross weight: 6 kg
Package 02	Dimension: 28x28x195 cm / Gross weight: 5,5 kg

### Certificazioni



# LED 2700K

---

## LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable
Tension	110/240V
Color temperature	2700K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	cable length 2m, dimmer on cable
Net lamp weight	3 kg

## Codes

ITW LWW 22  
ITW LNW 22  
ITW LGW 22  
ITW LDW 22

## Structure/Diffuser

white/white  
black/white  
gold/white  
titan grey/white

## PACKAGE

Package 01	Dimension: 30x32x12 cm / Gross weight: 6 kg
Package 02	Dimension: 28x28x195 cm / Gross weight: 5,5 kg

## Certificazioni

